

cossiga

Making food look great globally



Hi there,

Welcome to our Greenbook 2024, packed with fresh inspiration!

We're always excited to release a new Greenbook, but this year is particularly special as it's happening alongside the launch of our brand new website: cossiga.com

Designed with your needs top of mind, it is easy to use and offers dynamic new features, which we think you'll really enjoy. Even better, all products featured here have QR codes for quick and easy integration with our website - give it a go!

Onto product news and our recently launched **DTG MULTIDECKS** have been extremely popular! Head to page 8 to find out more about these cabinets that offer high volume and efficiency in one stylish unit. And don't miss our hot newcomer for this year, the **LSCK Counter Kit** that can also transform into a mobile trolley. Easy to specify, easy to sell and easy to install! (Page 42).


Read on for inspiration, information and how we can help you make food look great - anytime, anywhere! That's our ethos. Enjoy!



Note: All prices are in EURO, exclude Vat. Check freight details:

Republic of Ireland - Freight to client's warehouse is included in accordance to our delivery schedule between standard working hours Monday to Friday. Please note that there is an additional fee of €100 + VAT for import & export customs clearance fees per order. **Rest of Europe** - **Pricing** is ex works from our warehouse located in Liverpool, England. If you like us to provide a quote to deliver to your warehouse please contact the Cossiga team on 0044 (0) 151 494 9303.







Account Manager

New Zealand

Head Office

support

UK & Ireland









Spare Parts / Warehouse

+44 (0) 1514 949 303

Tim Rillstone

tim@cossiga.com

Commercial Director




Helen Kinsella **Jamie Horton** Operations Manager UK & Ireland helen@cossiga.com +44 (0) 7597 673 573 jamie@cossiga.com



Mike Brougham Managing Director mike@cossiga.com +64 21 666 794



UK & Ireland monica@cossiga.com



Ian Lochhead CFO ianl@cossiga.com +64 958 08471



Technical and Service Manager andrew@cossiga.com



Kerry Schollum Global Operations Manager kerry@cossiga.com +64 21 739 594



Michelle Nicholas Accounts accounts@cossiga.com +64 9 580 8471

We are here to make it easy and help your business thrive!

In a nutshell, here is how we roll:

Expert 360° service

We are experts in food cabinets that make food look great and our experienced team can offer valuable insights into the business of displaying and selling food across a range of environments.

We offer unmatchable 360° service, from product selection right through to after-sales support and servicing, ensuring an easy and stress-free experience.



HQ

Think global, act local

Our approach is glocal, combining the benefits of an efficient global operation with the expertise of trusted local support teams that have an in-depth understanding of their market. Our headquarters in Liverpool, UK features a customer-centred **showroom** that has been designed specifically for you to visualise layouts, discuss concepts and ideas and test working food displays. Drop in and ask our friendly team for some expert advice!

STOCK



We design and manufacture!

All Cossiga products are designed in-house and made in our own smart manufacturing plant in Foshan, China, where quality control is paramount. We use the 5S lean manufacturing approach to minimise waste and optimise productivity. This gives us full control of our value chain and enables us to offer rock-solid distribution and technical product support.

Being Sustainable

As we continue our sustainability journey we are more committed than ever to reducing our environmental impact. We are working with external advisors to develop a comprehensive sustainability strategy that is measurable and results-driven.


R290 GREEN ENERGY


Always ready to go!

We manufacture in batches and dispatch to our local warehouses around the world to ensure a constant and timely supply for our customers. We can also work with you on project-specific runs that are customised to suit your needs.

We are getting greener!
We believe Sustainability is essential

and we're excited to be on a journey to evolve our business for a regenerative future.






DTGOR REFRIGERATED






DTGHT HEATED







OPEN FRONT (DTGOR)

Model	L mm	W mm	H mm	Shelving	Temp	Plugs	Current	Weight kg	Energy Cons*
DTGOR6	600	750	1860	4 + base	- 1~5°C	13A (220-240V)	5.5	170	14.86
DTGOR9	900	750	1860	4 + base	- 1~5°C	13A (220-240V)	5.8	209	14.05
DTGOR12	1200	750	1860	4 + base	- 1~5°C	13A (220-240V)	7	281.5	17.28
DTGOR15	1500	750	1860	4 + base	- 1~5°C	13A (220-240V)	11	298	26.75


 $^{^{\}star}$ energy consumption can be reduced with the installation of optional door kit or pump to waste, available on page 10.

SLIDING GLASS DOORS (DTGOR-SD) DOUBLE GLAZED WITH LOCK

Model	L mm	W mm	H mm	Shelving	Temp	Plugs	Current	Weight kg	Energy Cons*
DTGOR9-SD	900	750	1860	4 + base	- 1~5°C	13A (220-240V)	5.8	209	7.05
DTGOR12-SD	1200	750	1860	4 + base	- 1~5°C	13A (220-240V)	7	281.5	10.31
DTGOR15-SD	1500	750	1860	4 + base	- 1~5°C	13A (220-240V)	11	298	19.75

HINGED ACRYLIC DOORS (DTGOR-HD) WITH LOCK

Model	L _{mm}	W mm	H mm	Shelving	Temp	Plugs	Current	Weight kg	Energy Cons*
DTGOR6-HD	600	750	1860	4 + base	- 1~5°C	13A (220-240V)	5.5	170	7.85
DTGOR9-HD	900	750	1860	4 + base	- 1~5°C	13A (220-240V)	5.8	209	7.05
DTGOR12-HD	1200	750	1860	4 + base	- 1~5°C	13A (220-240V)	7	281.5	10.31
DTGOR15-HD	1500	750	1860	4 + base	- 1~5°C	13A (220-240V)	11	298	19.75






HINGED GLASS DOOR (DTGHT)

Model	L mm	W mm	H mm	Shelving	Temp	Plugs	Current	Weight kg
DTGHT6	600	750	1860	4 + base	75~85°C	13A (220-240V)	7.2	139
DTGHT9	900	750	1860	4 + base	75~85°C	13A (220-240V)	10.5	178


MULTIDECK DTG Innovative features & customised options DIGITAL SCREEN LIGHTBOX NEW! for branding opportunities for brand or promotion LOCKABLE SECURITY SHUTTER

DTG ACCESSORIES

KEY	DESCRIPTION	DTG 600	DTG 900	DTG 1200	DTG 1500
a	Merchandising Basket		ON REQUEST		
b	Light Box	F94-133	F94-134	F94-135	F94-136
С	Digital Screen	F94-155	F94-156	F94-157	F94-158
d	Vinyl Wrap	Full Wrap Front Wrap	Full Wrap Front Wrap	Full Wrap Front Wrap	Full Wrap Front Wrap
е	Lockable Security Shutter	DTG SS6	DTG SS9	DTG SS12	DTG SS15
f	Pump To Waste		F93:	-891 /A	



10



わさび sushi & bento

VOLUME

SUSHI & SALADS





Time to think BIG! The efficient design where you need it most. A real game-changer!

FREE-STANDING

TOWER BTG

Stand-alone versatility that adapts to any environment









BTGRF REFRIGERATED/ CONTROLLED AMBIENT







SOLID FRONT (BTGRF) with rear glass doors

Model	L mm	W mm	H mm	Shelving	Temp	Plugs	Current	Weight kg	Energy Cons kWh/24h
BTGRF6	600	750	1380	3 + base	- 1~5°C	13A (220-240V)	5.2	175	13.67
BTGRF9	900	750	1380	3 + base	- 1~5°C	13A (220-240V)	4.8	224	11.34
BTGRF12	1200	750	1380	3 + base	- 1~5°C	13A (220-240V)	6.6	273	17.35
BTGRF15	1500	750	1380	3 + base	- 1~5°C	13A (220-240V)	7.6	322	21.82
BTGRF18	1800	750	1380	3 x 2 + base	- 1~5°C	13A (220-240V)	7.5	380	23.01

SLIDING FRONT (BTGRF-SD) with rear glass doors

Model	Lmm	Wmm	H mm	Shelving	Temp	Plugs	Current	Weight kg	Energy Cons kWh/24h
BTGRF6-SD	600	750	1380	3 + base	- 1~5°C	13A (220-240V)	5.2	175	13.67
BTGRF9-SD	900	750	1380	3 + base	- 1~5°C	13A (220-240V)	4.8	224	11.34
BTGRF12- SD	1200	750	1380	3 + base	- 1~5°C	13A (220-240V)	6.6	273	17.35
BTGRF15-SD	1500	750	1380	3 + base	- 1~5°C	13A (220-240V)	7.6	322	21.82

FEATURES • Heated double-glazed glass • Condensation free • Deck-forced refrigeration • Argon filled doors • Heated subframe • Integral condensor • Self-evaporating condensate


• Stainless steel wire shelving



REFRIGERATED

BTGOR





900

- Open front multi-tier deck
- Deck-forced refrigeration
- Pull down night blind
- Double glazed glass ends
- Hinged rear doors

FEATURES


• Glass shelving


OPEN FRONT (BTGOR) with rear doors

Model	L _{mm}	W mm	H mm	Shelving	Temp	Plugs	Current	Weight kg	Energy Cons kWh/24h
BTGOR6	600	750	1380	2 + base	- 1~5°C	13A (220-240V)	6	163	14.80
BTGOR9	900	750	1380	2 + base	- 1~5°C	13A (220-240V)	6.0	204	15.25
BTGOR12	1200	750	1380	2 + base	- 1~5°C	13A (220-240V)	7.6	273	15.25

BTGHT HEATED







 $\textbf{SOLID FRONT} \ (\textbf{BTGHT}) \ with \ rear \ glass \ doors$

Model	Lmm	W mm	H mm	Shelving	Temp	Plugs	Current	Weight
BTGHT6	600	750	1380	4 + base	75~85°C	13A (220-240V)	5.4	118
BTGHT9	900	750	1380	4 + base	75~85°C	13A (220-240V)	7.4	150
BTGHT12	1200	750	1380	4 + base	75~85°C	13A (220-240V)	9.6	182
BTGHT15	1500	750	1380	4 + base	75~85°C	13A (220-240V)	9.6	214

SLIDING FRONT (BTGHT-SD) with rear glass doors

Model	Lmm	W mm	H mm	Shelving	Temp	Plugs	Current	Weight kg
BTGHT6- SD	600	750	1380	4 + base	75~85°C	13A (220-240V)	5.4	118
BTGHT9- SD	900	750	1380	4 + base	75~85°C	13A (220-240V)	7.4	150
BTGHT12-SD	1200	750	1380	4 + base	75~85°C	13A (220-240V)	9.6	182
BTGHT15-SD	1500	750	1380	4 + base	75~85°C	13A (220-240V)	9.6	214

FEATURES • Single glazed top and sides • Double element • Deck-forced heating • Stainless steel wire shelving • Humidity dish

BTGAB AMBIENT

LOOKING FOR AMBIENT? WE'VE GOT YOU COVERED

It's easy. Now we can convert all BTG HEATED to static AMBIENT. Get in touch!



BTG ACCESSORIES



 Key
 Description
 List Price ex GST
 600
 900
 1200
 1500
 1800

 a
 Top Mounted Controller
 Code €
 X000647

 b
 Additional Complete Wire Shelf with LED
 Code €
 F93-738(HT) F92-471(HT) F92-475(HT) F93-899(RF)
 F92-479(HT) F93-903(RF) F93-903(RF)
 F93-903(RF)
 F93-903(RF)
 F93-903(RF)
 F93-903(RF)
 F93-903(RF)
 F93-689
 F93-689
 F93-690
 F93-691

 d
 Gastro Kit (includes 1/2 GN pan)
 Code €
 X000760
 X000760
 X000760

 e
 Vinyl Wrap (HW) Pull Wrap (HW) Pull Wrap (FW)
 €
 FW600
 HW900 PW1200 PW1200 PW1500
 HW1500 PW1800

 f
 Leg Extension Kit Set (increases height by 280mm)
 Code €
 X000359
 X000360
 X000361
 X000364

NOT JUST PIES!
Our gastro kits

also cater for other hot food such as chicken and chips.






TOWER BTG The flexible and easy-to-use self-service solution designed to work for you!













TTGOR REFRIGERATED








OPEN FRONT (TTGOR) with Hinged Rear Doors

Code	W mm	D mm	H mm	Shelving	Temp	Plug	Current	kWh	Weight _{Kg}	Energy Cons kWh/24h
TTGOR6	600	750	1500	3 + Base	-1~5°C	13A	3.3A	0.6	192	14.8
TTGOR9	900	750	1500	3 + Base	-1~5°C	13A	3.7A	0.8	246	15.78
TTGOR12	1200	750	1500	3 + Base	-1~5°C	13A	5.4A	0.9	300	14.56

SOLID FRONT (TTGORSF) with Hinged Rear Doors

Code	W mm	D mm	H mm	Shelving	Temp	Plug	Current	kWh	Weight Kg	Energy Cons kWh/24h
TTGOR6 SF	600	750	1500	3 + Base	-1~5°C	13A	3.3A	0.6	192	8.45
TTGOR9 SF	900	750	1500	3 + Base	-1~5°C	13A	3.7A	0.8	246	8.62
TTGOR12SF	1200	750	1500	3 + Base	-1~5°C	13A	5.4A	0.9	300	14.56

FEATURES • Open front multi tier • Deck forced refrigeration • Pull down night blind • Double glazed glass ends • Hinged rear doors • Glass shelves • Airflow- in and out of the operator side as standard • Bright white LED lighting



COUNTER TOP

TOWER STG

A classic to pop on top



SITTING ON A COUNTER TOP

> Adjustable shelving (height + angle) with stainless


steel wire racks




STGRF REFRIGERATED/ CONTROLLED AMBIENT









SOLID FRONT (STGRF) with rear glass doors

Mod	iel	Lmm	W mm	H mm	Shelving	Temp	Plugs	Current	Weight kg	Energy Cons kWh/24h
STGI	RF6	600	650	925	2 + base	-1~5°C	13A (220-240V)	5.2	136	13.67
STGI	RF9	900	650	925	2 + base	-1~5°C	13A (220-240V)	4.6	173	12.1
STGR	F12	1200	650	925	2 + base	-1~5°C	13A (220-240V)	4.95	205	17.08
STGR	F15	1500	650	925	2 + base	-1~5°C	13A (220-240V)	5.4	240	18.49


SLIDING FRONT (STGRF-SD) with rear glass doors


Model	Lmm	W mm	H mm	Shelving	Temp	Plugs	Current	Weight kg	Energy Cons kWh/24h
STGRF6- SD	600	650	925	2 + base	-1~5°C	13A (220-240V)	5.2	136	13.67
STGRF9- SD	900	650	925	2 + base	-1~5°C	13A (220-240V)	4.6	173	12.1
STGRF12- SD	1200	650	925	2 + base	-1~5°C	13A (220-240V)	4.95	205	17.08
STGRF15- SD	1500	650	925	2 + base	-1~5°C	13A (220-240V)	5.4	240	18.49

FEATURES • Heated double glazed glass • Condensation-free • Deck-forced refrigeration

- Argon filled doors Heated subframe Integral condensor Self evaporating condensate
- Stainless steel wire shelving







SOLID FRONT (STGHT) with rear glass doors

Model	L mm	W mm	H mm	Shelving	Temp	Plugs	Current	Weight kg
STGHT6	600	650	925	3 + base	75~85°C	13A (220-240V)	5.4	88
STGHT9	900	650	925	3 + base	75~85°C	13A (220-240V)	7.4	110
STGHT12	1200	650	925	3 + base	75~85°C	13A (220-240V)	9.6	126

SLIDING FRONT (STGHT-SD) with rear glass doors

Model	L mm	W mm	H mm	Shelving	Temp	Plugs	Current	Weight kg
STGHT6-SD	600	650	925	3 + base	75~85°C	13A (220-240V)	5.4	88
STGHT9-SD	900	650	925	3 + base	75~85°C	13A (220-240V)	7.4	110
STGHT12-SD	1200	650	925	3 + base	75~85°C	13A (220-240V)	9.6	126

FEATURES • Single glazed top + sides • Double element • Deck-forced heating • Stainless steel wire shelving • Humidity dish

LOOKING FOR AMBIENT? WE'VE GOT YOU COVERED

It's easy. Now we can convert all STG HEATED to static AMBIENT. Get in touch!

STGAB AMBIENT

STGHT

HEATED



STG ACCESSORIES



Key	Description	List Price ex GST	600	900	1200	1500
a	Top Mounted Controller	Code €		X000	0647	
b	Additional Complete Shelf Wire	Code €	F92-467(HT) F93-886 (RF)	F92-470 (HT) F93-890 (RF)	F92-474 (HT) F93-898 (RF)	F93-902 (RF)
С	Glass Shelves/each	Code €	S21-304	S21-305	S21-306	S21-307
d	Airflow Vent	Code €		X000	0765	
е	Gastro Kit includes 1/2 GN PM	Code €		X000	0760	
f	Extraction Fan	Code €		X000	0611	
g	Vinyl Wrap	Code €	HW600	HW900	HW1200	HW1500
h	Base Rack Set	Code €	X000359	X000360	X000361	X000364
i	SGCK Counter Kit 900h x 723d	Code €	SGCK6	SGCK9	SGCK12	SGCK15

Avoid the expense of bespoke cabinetry with our affordable, flat-pack, modular **SGCK Counter Kit.**



Great looking food

means great business!






LPPLUS REFRIGERATED







FEATURES


- Frameless glass
 Deck-forced refrigeration
- Large acrylic rear doors for easy access
 Adjustable base plates

SOLID FRONT with sliding acrylic rear doors

Model	Lmm	W mm	H mm	Temp	Plugs	Current	Weight kg
LPRF9	900	815	1180	-1~5°C	13A (220-240V)	4.9	172
LPRF12	1200	815	1180	-1~5°C	13A (220-240V)	4.9	186
LPRF15	1500	815	1180	-1~5°C	13A (220-240V)	4.9	226









GOGRF **REFRIGERATED**









FEATURES


- Heated double glazed glass
- Condensation free
- Deck-forced refrigeration
- Argon filled doors
- Integral condensor • Self evaporating condensate
- One glass shelf
- Second shelf available as accessory


SOLID FRONT with sliding rear glass doors


Model	Lmm	W mm	H mm	Shelving	Temp	Plugs	Current	Weight kg	Energy Cons kWh/24h
GOGRF9	900	650	733	1 + base	-1~5°C	13A (220-240V)	4.6	142	10
GOGRF12	1200	650	733	1 + base	-1~5°C	13A (220-240V)	4.7	170	12.2
GOGRF15	1500	650	733	1 + base	-1~5°C	13A (220-240V)	4.8	195	13.5

GOGHT HEATED









FEATURES

- Single glass top, side and doors
- Tilting front glass
- Deck-forced heating
- Two stainless steel wire shelves

SOLID FRONT with sliding rear glass doors

Model	Lmm	W mm	H mm	Shelving	Temp	Plugs	Current	Weight kg
GOGHT9	900	650	733	2 + base	75~85°C	13A (220-240V)	5.4	99

GOG ACCESSORIES



Key	Description	List Price ex GST	900	1200	1500
a	Additional Complete Glass Shelf with LED	Code €	F93-635	F93-638	F93-641
b	SGCK Counter Kit 900h x 723d	Code €	SGCK9	SGCK12	SGCK15

Avoid the expense of bespoke cabinetry with our affordable, flat-pack, modular SGCK Counter Kit.

MIX 'N' MATCH: Our modular range works together seamlessly.

FLEXIBLE: Tailor our products to your specific needs.

DTG MULTIDECKS





Making food look great, anytime, anywhere.

More ideas and inspiration at cossiga.com

SCAN for more content



NEW ZEALAND

LINEAR LS

PLAN, CUSTOMISE AND COMBINE to create your food service line up.










LSRF REFRIGERATED

LED Light







LSRF Refrigerated Well - Gantry only with no glass

	5
3M1 CLIMATE CLASS	
CLASS	100
Self	Fits gastro pans
evaportation	
Cvaportation	

Model	Lmm	W mm	H mm	GN Pans Supplied	Temp	Plugs	Current	Weight kg
LSRF2	805	690	1230	2x1/1 - 65mm	-1~5°C	13A (220-240V)	4.8	105
LSRF3	1145	690	1230	3x1/1 - 65mm	-1~5°C	13A (220-240V)	4.5	128
LSRF4	1485	690	1230	4x1/1 - 65mm	-1~5°C	13A (220-240V)	4.5	152
LSRF5	1825	690	1230	5x1/1 - 65mm	-1~5°C	13A (220-240V)	4.8	179
LSRF6	2165	690	1230	6x1/1 - 65mm	-1~5°C	13A (220-240V)	5.5	201

LSRF Refrigerated Well - Flat top sneeze guard glass



Model	L mm	W mm	H mm	GN Pans Supplied	Temp	Plugs	Current	Weight
LSRF2-FT	805	690	1230	2x1/1 - 65mm	-1~5°C	13A (220-240V)	4.8	105
LSRF3-FT	1145	690	1230	3x1/1 - 65mm	-1~5°C	13A (220-240V)	4.5	128
LSRF4-FT	1485	690	1230	4x1/1 - 65mm	-1~5°C	13A (220-240V)	4.5	152
LSRF5-FT	1825	690	1230	5x1/1 - 65mm	-1~5°C	13A (220-240V)	4.8	179
LSRF6-FT	2165	690	1230	6x1/1 - 65mm	-1~5°C	13A (220-240V)	5.5	201

LSRF Refrigerated Well - Square glass assisted service with acrylic rear doors



Model	L mm	W mm	H mm	GN Pans Supplied	Temp	Plugs	Current	Weight kg
LSRF2-FS	805	690	1230	2x1/1 - 65mm	-1~5°C	13A (220-240V)	4.8	105
LSRF3-FS	1145	690	1230	3x1/1 - 65mm	-1~5°C	13A (220-240V)	4.5	128
LSRF4-FS	1485	690	1230	4x1/1 - 65mm	-1~5°C	13A (220-240V)	4.5	152
LSRF5-FS	1825	690	1230	5x1/1 - 65mm	-1~5°C	13A (220-240V)	4.8	179
LSRF6-FS	2165	690	1230	6x1/1 - 65mm	-1~5°C	13A (220-240V)	5.5	201

Don't need the gantry?






ACRYLIC COVERS for fast cool-down and food cover between services.


LSCM CERAMIC HOTPLATE


Stainless Steel



lights on deck







LSCM Ceramic Hotplate - Gantry only with no glass

Model	Lmm	W mm	H mm	GN Plates	Temp	Plugs	Current	Weight kg
LSCM2	805	690	555	2x1/1	75~85°C	13A (220-240V)	7.8	76
LSCM3	1145	690	555	3x1/1	75~85°C	15A Lead Only (220-240V)	11.7	88
LSCM4	1485	690	555	4x1/1	75~85°C	20A Lead Only (220-240V)	15.7	107
LSCM5	1825	690	555	5x1/1	75~85°C	20A Lead Only (220-240V)	19.6	128
LSCM6	2165	690	555	6x1/1	75~85°C	32A Lead Only (220-240V)	23.5	140



Model	L mm	W mm	H mm	GN Plates	Temp	Plugs	Current	Weight kg
LSCM2-FT	805	690	555	2x1/1	75~85°C	13A (220-240V)	7.8	76
LSCM3-FT	1145	690	555	3x1/1	75~85°C	15A Lead Only (220-240V)	11.7	88
LSCM4-FT	1485	690	555	4x1/1	75~85°C	20A Lead Only (220-240V)	15.7	107
LSCM5-FT	1825	690	555	5x1/1	75~85°C	20A Lead Only (220-240V)	19.6	128
LSCM6-FT	2165	690	555	6x1/1	75~85°C	32A Lead Only (220-240V)	23.5	140



Model	Lmm	W mm	H mm	GN Plates	Temp	Plugs	Current	Weight kg
LSCM2-FS	805	690	555	2x1/1	75~85°C	13A (220-240V)	7.8	76
LSCM3-FS	1145	690	555	3x1/1	75~85°C	15A Lead Only (220-240V)	11.7	88
LSCM4-FS	1485	690	555	4x1/1	75~85°C	20A Lead Only (220-240V)	15.7	107
LSCM5-FS	1825	690	555	5x1/1	75~85°C	20A Lead Only (220-240V)	19.6	128
LSCM6-FS	2165	690	555	6x1/1	75~85°C	32A Lead Only (220-240V)	23.5	140

LS HEATED CERAMIC BASE



LS Heated Ceramic Base

	ine Base
Model	Code
LSCM2 Base	F93-196
LSCM3 Base	F93-197
LSCM4 Base	F93-198
LSCM5 Base	F93-199
LSCM6 Base	F93-200


Base with marble decals





LSBM BAIN MARIE





LSBM Bain Marie - Gantry only with no glass

Model	Lmm	W mm	H mm	GN Pans Supplied	Temp	Plugs	Current	Weight kg
LSBM3	1145	690	1085	3x1/1 - 65mm	75~85°C	20A Lead Only (220-240V)	15	86
LSBM4	1485	690	1085	4x1/1 - 65mm	75~85°C	20A Lead Only (220-240V)	18.7	106
LSBM5	1825	690	1085	5x1/1 - 65mm	75~85°C	32A Lead Only (220-240V)	25	121
LSBM6	2165	690	1085	6x1/1 - 65mm	75~85°C	32A Lead Only (220-240V)	28.5	140

LSBM Bain Marie - Flat top sneeze guard glass

Model	L mm	W mm	H mm	GN Pans	Temp	Plugs	Current	Weight kg
LSBM3-FT	1145	690	1085	3x1/1 - 65mm	75~85°C	20A Lead Only (220-240V)	15	86
LSBM4-FT	1485	690	1085	4x1/1 - 65mm	75~85°C	20A Lead Only (220-240V)	18.7	106
LSBM5-FT	1825	690	1085	5x1/1 - 65mm	75~85°C	32A Lead Only (220-240V)	25	121
LSBM6-FT	2165	690	1085	6x1/1 - 65mm	75~85°C	32A Lead Only (220-240V)	28.5	140



stainless steel

LSBM Bain Marie - Square glass assisted service with acrylic rear doors

Model	Lmm	W mm	H mm	GN Pans	Temp	Plugs	Current	Weight
LSBM3-FS	1145	690	1085	3x1/1 - 65mm	75~85°C	20A Lead Only (220-240V)	15	86
LSBM4-FS	1485	690	1085	4x1/1 - 65mm	75~85°C	20A Lead Only (220-240V)	18.7	106
LSBM5-FS	1825	690	1085	5x1/1 - 65mm	75~85°C	32A Lead Only (220-240V)	25	121
LSBM6-FS	2165	690	1085	6x1/1 - 65mm	75~85°C	32A Lead Only (220-240V)	28.5	140



Don't need the gantry?





Lower float switch reduces steam build-up


Extended elements for even heat

Interlocking dividing bars allow for all gastronorm sizes

LS ACCESSORIES



Easy to mix 'n' match according to your needs





Key	Description	List Price ex GST	2	3	4	5	6
а	Mirror Rear Doors	Code €	LS2M	LS3M	LS4M	LS5M	LS6M
b	Extraction Fan each	Code €			X000611		
С	Glass Mid Shelf (for Refrigerated only)	Code €	F93-590	F93-591	F93-592	F93-593	F93-594
d	Airflow Vent	Code €			X000765		
е	Wire Mid Shelf	Code €	1xLSMS2	1xLSMS3	2xLSMS2	1xLSMS2 1xLSMS3	2xLSMS3
f	Polypropylene Chopping Board	Code €		CBRF3	CBRF4	CBRF5	CBRF6
g	Rear Prep Shelf (Bain Marie Model)	Code €		X000635	X000636	X000637	X000638
g	Rear Prep Shelf (Refrigerated Model)	Code €		X000613	X000614	X000615	X000616




38









LSDRF Refrigerated Well - w/Full Square Glass, Rear Service Shelf and Acrylic Rear Doors

Model	W mm	D mm	H mm	GN Pans	Temp	Plug	Current	Weight Kg
LSDRF3	1145	870	555	3 x 1/1 & 3 x1/3 - 65mm	-1~5°C	13A	4.5A	214
LSDRF4	1485	870	555	4 x 1/1 & 4x1/3 - 65mm	-1~5°C	13A	4.5A	253
LSDRF5	1825	870	555	5 x 1/1 & 5 x 1/3 - 65 mm	-1~5°C	13A	4.5A	300



$\textbf{LSDRF} \ \mathsf{Refrigerated} \ \mathsf{Well} \ \textbf{-} \ \textbf{w/Full} \ \mathsf{Square} \ \textbf{Glass,} \ \textbf{Rear} \ \textbf{Service} \ \textbf{Shelf} \ \textbf{and} \ \textbf{Acrylic} \ \textbf{Rear} \ \textbf{Doors}$

Model	W mm	D mm	H mm	GN Pans	Temp	Plug	Current	Weight Kg
LSDBM3	1145	870	555	3 x 1/1 & 3 x1/3 - 65mm	75~85°C	20A lead only	15.6A	167
LSDBM4	1485	870	555	4 x 1/1 & 4x1/3 - 65mm	75~85°C	30A lead only	20.8A	199
LSDBM5	1825	870	555	5 x 1/1 & 5 x1/3 - 65mm	75~85°C	30A lead only	26.1A	238

* supplied with lead only.



COUNTER KIT

Create your own counter line up!

Avoid the expense of bespoke cabinetry with our affordable, flat-pack, modular **LSCK Counter Kit** that can also transform into a mobile trolley.



FEATURES

- 304 stainless steel construction
- Black panels
- Base panels for storage
- Lockable castors
- Two tray races

Description List Price ex 6ST 3 4 5 6 Flatpack Frame with black panels Code € LSCK3 LSCK4 LSCK5 LSCK6

Get creative!

customised with paint, viny and other treatments. Get in touch to discuss what's possible – we have lots of ideas to get you inspired!



HOT CUPBOARD

Need extra heated storage?

LSHC Hot Cupboard is a highly practical storage unit that works seamlessly with Bain-Maries and Ceramic Hotplate cabinets.



FEATURES

- 304 stainless steel construction
- Fan-forced heat delivery
- Adjustable feet
- Optional tray race

LSHC Hot Cupboard

Model	Lmm	W mm	H mm	Suits Models	Temp	Plugs	Current	Weight kg
LSHC4	1555	710	886	BM4/CM4	45~75°C	13A (220-240V)	4.6	163
LSHC5	1895	710	886	BM5/CM5	45~75°C	13A (220-240V)	4.6	184
LSHC6	2235	710	886	BM6/CM6	45~75°C	13A (220-240V)	4.6	205



Description List Price 4 5 6 Tray race - Each Code € CKTR4 CKTR5 CKTR6

Now available!

The Hot Cupboard tray race is here for even quicker and more efficient service. Get in touch to find out more.



Say hi to the new COSSIGA.COM

+ New user-friendly experience **+ New** dynamic features

+ Quick access to tech files + More fresh inspiration.

NEW PRODUCT MENU BAR

It's now even easier to browse! Search by type of installation or sector, temperature or simply by product range.


GET INSPIRED!

A new section offering fresh ideas and inspiration across a range of sectors for quick and easy reference.

IN A RUSH?

Hey designers and specifiers, we've created a quick-access bar just for you!

All tech files are just a click away.



NEW SEARCH ENGINE

Optimised to find any model you need, along with quick access to the most visited areas.

AND...

INTERACTIVE 3D RENDERS!

Want more? Jump in and and have a play with our slick new renders! Click to rotate and enjoy a full **360° view of our cabinets.**



OUR WARRANTY:

Peace of mind. 3-years. Easy!

24 MONTHS* parts only

36
MONTHS*
major parts

*All subject to 6 monthly preventative maintenance.

24 months parts only warranty plus a further 12 months on major parts.

See www.cossiga.com for Exclusions + Full Terms and Conditions

SET UP IS KEY

Do it once, do it right:

Take the time now for long-term efficient performance.



PREVENTATIVE MAINTENANCE:

Save energy, protect your asset and keep your warranty.

Following our cleaning and maintenance guidelines will ensure uninterrupted and long lasting performance of your Cossiga cabinet, as well as reducing the energy consumption of your food display. Lack of maintenance could void your warranty cover so contact our service team who can provide any assistance required.

Contact us to discuss a preventative maintenance programme. **Reach out** on +44 (0) 151 494 9303



Working to get


As part of our sustainability strategy, we already have positive initiatives underway. Here are a few:

R290 GAS

All of our refrigerated products use R290 non-toxic propane gas - a naturally occurring organic compound of hydrogen and carbon, with minimal impact on the environment.

Due to its thermodynamic properties and low condensing temperature, R290 can deliver up to 50% in energy savings when combined with other energy saving factors like ENERGY STAR® certification.

All greenhouse gases have a Global Warming Potential (GWP), which refers to the total contribution to global warming from the emission of one unit of gas. Compared to R134a or R513A which are currently used as standard refrigerants, R290 has an incredibly low GWP of only 3!



SUSTANABLE PACKAGING:

All our cabinets are packed in 100% recyclable cardboard. Research is well underway into starch-based protective packaging for our cabinets, eliminating the need for any plastics.


Watch this space!



SMART SHIPPING:

We wrote an algorithm to eliminate the need for air freight. All freight is now by sea or road. We have local warehouses to service local markets, reducing wasteful, costly and time consuming freight scenarios.





UK VISIT US ONLINE COSSIGA.COM **CHINA AUSTRALIA**

GET IN TOUCH: +44 (0) 151 494 9303

SHOWROOM:

UNIT 6 & 7 SPRINT WAY, SPEKE BUSINESS PARK (OFF GOODLASS ROAD), SPEKE, LIVERPOOL, L24 9HJ. ENGLAND.

CONNECT WITH US ON:

cossiga

stics hub

NEW ZEALAND HEADQUARTERS

Concept
Design
Logistics
Service hub
Warehousing
Sales office



cossiga.com